VEND SAFETY
### CONTROLLED DISPENSING

Industrial Tool Inventory Control Solutions

Manage spend and supply with VendSafety's tool control solutions!

Our point-of-use inventory and tool management solutions are completely scalable and customizable for what you need. Our industry leading approach of software, hardware and services delivers a holistic solution to help you develop, build and grow your inventory management program.

iQ Technology
INTELLIGENT SOFTWARE FOR THE INNOVATIVE BUSINESS

Easily Track Usage & Inventory

With iQ Technology you have real-time data of who took it, where it was used, and when it was returned. Reduce inventory hoarding and overuse, and shrinkage, while analyzing usage to maximize inventory availability.

Shown with optional Custom Graphics Wrap
Display your brand on your equipment
Also shown with optional touch screen

Interface Options

Bar Code ID Scanner

Pin Number

Mag Stripe Reader

Proximity Card Reader

Biometrics

Supply Dispensers & Adjustable Lockers

SD 5000
Shown with optional touch screen

SD 3000

**Combo**
Shown with optional touch screen

Stand Alone Adjustable Locker

Satellite Adjustable Locker

Keypad

Delivery Door

UVend Technology
UVC LIGHT SANITIZATION

Kill or inactivate up to 99.9% of viruses and bacteria with UVC light sanitization technology. UVend can sanitize high-touch surfaces on Supply Dispensers and Supply Lockers. (Optional)

iQ Technology
Easily manage your assets and inventory with iQ Technology's real-time analytics and reporting tools.

Adjustable Locker Scales
Easily re-configure scale-based compartments in field, and detect restock levels with real-time replenishment alerts.

PUSH-IT
With no coils, vend a variety of products with different size, weight and form factors. (Optional)

	SD5000	SD3000	Combo
Selections	Configurable up to 60 Items	Configurable up to 36 Items	24 items
Capacity	Typical capacity 350 items, Capacity varies with tray configurations.	Typical capacity 115 items, Capacity varies with tray configurations.	
Communication	Web based (CAT5E)		
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS; International: 230 VAC/50Hz, 0.6 AMPS		
Height	72"(183 cm)		74.5"
Width	41" (104 cm)	29.3" (74.4 cm)	37"
Depth	35.2" (89.4 cm)		29.6"
Shipping Weight	628 lbs. Varies with configuration and options	445 lbs. Varies with configuration and options	628 lbs. Varies with configuration and options
Standard Features	• Keypad Point of Interface • Guaranteed Delivery Sensor System • LED Interior Lighting • Software Monitoring		
Options	• Badge Reader (Bar Code ID Scanner; PROX Card Reader; Magnetic Strip Card Reader depending on your interface system) • Custom Graphic Wrap • Shipping • Installation • 10.1" Touch Screen (7" Touch Screen for Combo) • UVend Technology		

Adjustable Lockers						
Compartments	Up to 18/20 Compartments					
Compartments Sizes	Opening: (14/16) 10-23/32"H x 10-15/16"W, (4) 4-23/32"H x 10-15/16"W Depth: 22-15/16"D					
Compartment Door Type	Window or Solid Door					
Communication	Web based (CAT5E)					
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS 2 Outlets required for powered model					
Height	73-5/16"(186.2 cm)	Width	30-1/8" (76.5 cm)	Depth	26-3/8" (62 cm)	
Shipping Weight	353 lbs. Varies with configuration and options.					
Standard Features	• Keypad Point of Interface • LED Interior Lighting • Software Monitoring					
Options	• Badge Reader (Bar Code ID Scanner; PROX Card Reader; Magnetic Strip Card Reader depending on your interface system) • Custom Graphics • Shipping • Installation • 10.1" Touch Screen • Scales • UVend Technology					

CE (ETL)us

Intelligent Dispensing Solutions | 8040 University Blvd. | Des Moines, IA 50325
1-877-771-4446 | info@idsvending.com
www.iDSvending.com

© 2021 Intelligent Dispensing Solutions

VEND SAFETY
CONTROLLED DISPENSING